

1

SPECIFICATIONS


FLAT BOTTOM SILOS



1.1

FLAT BOTTOM SILOS

CODE	DIAMETER		CYLINDRICAL HEIGHT		TOTAL HEIGHT		CAPACITY(m ³)
	A (mm)	B (mm)	B (mm)	C (mm)	C (mm)	FLAT BOTTOM	
SBH0300/04	3.000	4.610	4.610	5.300	5.300	35	
SBH0300/05	3.000	5.750	5.750	6.440	6.440	44	
SBH0300/06	3.000	6.890	6.890	7.580	7.580	52	
SBH0300/07	3.000	8.030	8.030	8.720	8.720	60	
SBH0300/08	3.000	9.170	9.170	9.860	9.860	69	
SBH0300/09	3.000	10.310	10.310	11.000	11.000	77	
SBH0300/10	3.000	11.450	11.450	12.140	12.140	85	
SBH0300/11	3.000	12.590	12.590	13.280	13.280	94	
SBH0300/12	3.000	13.730	13.730	14.420	14.420	102	
SBH0300/13	3.000	14.870	14.870	15.560	15.560	110	
SBH0300/14	3.000	16.010	16.010	16.700	16.700	119	
SBH0300/15	3.000	17.150	17.150	17.840	17.840	127	
SBH0350/04	3.500	4.610	4.610	5.400	5.400	47	
SBH0350/05	3.500	5.750	5.750	6.540	6.540	58	
SBH0350/06	3.500	6.890	6.890	7.680	7.680	69	
SBH0350/07	3.500	8.030	8.030	8.820	8.820	80	
SBH0350/08	3.500	9.170	9.170	9.960	9.960	91	
SBH0350/09	3.500	10.310	10.310	11.100	11.100	102	
SBH0350/10	3.500	11.450	11.450	12.240	12.240	113	
SBH0350/11	3.500	12.590	12.590	13.380	13.380	124	
SBH0350/12	3.500	13.730	13.730	14.520	14.520	135	
SBH0350/13	3.500	14.870	14.870	15.660	15.660	146	
SBH0350/14	3.500	16.010	16.010	16.800	16.800	157	
SBH0350/15	3.500	17.150	17.150	17.940	17.940	168	
SBH0350/16	3.500	18.290	18.290	19.080	19.080	179	
SBH0350/17	3.500	19.430	19.430	20.220	20.220	190	
SBH0460/04	4.600	4.610	4.610	5.870	5.870	83	
SBH0460/05	4.600	5.750	5.750	7.010	7.010	102	
SBH0460/06	4.600	6.890	6.890	8.150	8.150	121	
SBH0460/07	4.600	8.030	8.030	9.290	9.290	140	
SBH0460/08	4.600	9.170	9.170	10.430	10.430	158	
SBH0460/09	4.600	10.310	10.310	11.570	11.570	177	
SBH0460/10	4.600	11.450	11.450	12.710	12.710	196	
SBH0460/11	4.600	12.590	12.590	13.850	13.850	215	
SBH0460/12	4.600	13.730	13.730	14.990	14.990	234	
SBH0460/13	4.600	14.870	14.870	16.130	16.130	252	
SBH0460/14	4.600	16.010	16.010	17.270	17.270	271	
SBH0460/15	4.600	17.150	17.150	18.410	18.410	290	
SBH0460/16	4.600	18.290	18.290	19.550	19.550	309	
SBH0460/17	4.600	19.430	19.430	20.690	20.690	328	
SBH0460/18	4.600	20.570	20.570	21.830	21.830	346	
SBH0460/19	4.600	21.710	21.710	22.970	22.970	365	
SBH0460/20	4.600	22.850	22.850	24.110	24.110	384	
SBH0460/21	4.600	23.990	23.990	25.250	25.250	403	
SBH0460/22	4.600	25.130	25.130	26.390	26.390	422	
SBH0460/23	4.600	26.270	26.270	27.530	27.530	440	



Ø CENTER COLLAR = 800 mm (SILOS ≤ 16,80)

Ø CENTER COLLAR = 1.050 mm (SILOS ≥ 17,57)

CODE	DIAMETER			CAPACITY (m ³)	
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM	
SBH0535/04	5.350	4.610	6.090	115	
SBH0535/05	5.350	5.750	7.230	140	
SBH0535/06	5.350	6.890	8.370	166	
SBH0535/07	5.350	8.030	9.510	192	
SBH0535/08	5.350	9.170	10.650	217	
SBH0535/09	5.350	10.310	11.790	243	
SBH0535/10	5.350	11.450	12.930	268	
SBH0535/11	5.350	12.590	14.070	294	
SBH0535/12	5.350	13.730	15.210	320	
SBH0535/13	5.350	14.870	16.350	345	
SBH0535/14	5.350	16.010	17.490	371	
SBH0535/15	5.350	17.150	18.630	396	
SBH0535/16	5.350	18.290	19.770	422	
SBH0535/17	5.350	19.430	20.910	448	
SBH0535/18	5.350	20.570	22.050	473	
SBH0535/19	5.350	21.710	23.190	499	
SBH0535/20	5.350	22.850	24.330	524	
SBH0535/21	5.350	23.990	25.470	550	
SBH0535/22	5.350	25.130	26.610	576	
SBH0535/23	5.350	26.270	27.750	601	
SBH0535/24	5.350	27.410	28.890	627	
SBH0535/25	5.350	28.550	30.030	652	
SBH0535/26	5.350	29.690	31.170	678	
SBH0610/04	6.100	4.610	6.300	152	
SBH0610/05	6.100	5.750	7.440	185	
SBH0610/06	6.100	6.890	8.580	219	
SBH0610/07	6.100	8.030	9.720	252	
SBH0610/08	6.100	9.170	10.860	286	
SBH0610/09	6.100	10.310	12.000	319	
SBH0610/10	6.100	11.450	13.140	353	
SBH0610/11	6.100	12.590	14.280	386	
SBH0610/12	6.100	13.730	15.420	419	
SBH0610/13	6.100	14.870	16.560	453	
SBH0610/14	6.100	16.010	17.700	486	
SBH0610/15	6.100	17.150	18.840	520	
SBH0610/16	6.100	18.290	19.980	553	
SBH0610/17	6.100	19.430	21.120	587	
SBH0610/18	6.100	20.570	22.260	620	
SBH0610/19	6.100	21.710	23.400	654	
SBH0610/20	6.100	22.850	24.540	687	
SBH0610/21	6.100	23.990	25.680	720	
SBH0610/22	6.100	25.130	26.820	754	
SBH0610/23	6.100	26.270	27.960	787	
SBH0610/24	6.100	27.410	29.100	821	
SBH0610/25	6.100	28.550	30.240	854	
SBH0610/26	6.100	29.690	31.380	887	
SBH0610/27	6.100	30.830	32.520	921	
SBH0610/28	6.100	31.970	33.660	954	
SBH0610/29	6.100	33.110	34.800	988	
SBH0610/30	6.100	34.250	35.940	1021	

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY(m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH0687/04	6.870	4.610	6.530	195
SBH0687/05	6.870	5.750	7.670	237
SBH0687/06	6.870	6.890	8.810	280
SBH0687/07	6.870	8.030	9.950	322
SBH0687/08	6.870	9.170	11.090	364
SBH0687/09	6.870	10.310	12.230	407
SBH0687/10	6.870	11.450	13.370	449
SBH0687/11	6.870	12.590	14.510	491
SBH0687/12	6.870	13.730	15.650	534
SBH0687/13	6.870	14.870	16.790	576
SBH0687/14	6.870	16.010	17.930	618
SBH0687/15	6.870	17.150	19.070	661
SBH0687/16	6.870	18.290	20.210	703
SBH0687/17	6.870	19.430	21.350	745
SBH0687/18	6.870	20.570	22.490	788
SBH0687/19	6.870	21.710	23.630	830
SBH0687/20	6.870	22.850	24.770	872
SBH0687/21	6.870	23.990	25.910	915
SBH0687/22	6.870	25.130	27.050	957
SBH0687/23	6.870	26.270	28.190	999
SBH0687/24	6.870	27.410	29.330	1042
SBH0687/25	6.870	28.550	30.470	1084
SBH0687/26	6.870	29.690	31.610	1126
SBH0687/27	6.870	30.830	32.750	1169
SBH0687/28	6.870	31.970	33.890	1211
SBH0687/29	6.870	33.110	35.030	1253
SBH0687/30	6.870	34.250	36.170	1295
SBH0760/04	7.640	4.610	6.745	244
SBH0760/05	7.640	5.750	7.885	296
SBH0760/06	7.640	6.890	9.025	349
SBH0760/07	7.640	8.030	10.165	401
SBH0760/08	7.640	9.170	11.305	453
SBH0760/09	7.640	10.310	12.445	505
SBH0760/10	7.640	11.450	13.585	558
SBH0760/11	7.640	12.590	14.725	610
SBH0760/12	7.640	13.730	15.865	662
SBH0760/13	7.640	14.870	17.005	714
SBH0760/14	7.640	16.010	18.145	767
SBH0760/15	7.640	17.150	19.285	819
SBH0760/16	7.640	18.290	20.425	871
SBH0760/17	7.640	19.430	21.565	923
SBH0760/18	7.640	20.570	22.705	976
SBH0760/19	7.640	21.710	23.845	1028
SBH0760/20	7.640	22.850	24.985	1080
SBH0760/21	7.640	23.990	26.125	1133
SBH0760/22	7.640	25.130	27.265	1185
SBH0760/23	7.640	26.270	28.405	1237
SBH0760/24	7.640	27.410	29.545	1289
SBH0760/25	7.640	28.550	30.685	1342
SBH0760/26	7.640	29.690	31.825	1394
SBH0760/27	7.640	30.830	32.965	1446
SBH0760/28	7.640	31.970	34.105	1498
SBH0760/29	7.640	33.110	35.245	1551
SBH0760/30	7.640	34.250	36.385	1603

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH0840/04	8.400	4.610	6.970	299
SBH0840/05	8.400	5.750	8.110	363
SBH0840/06	8.400	6.890	9.250	426
SBH0840/07	8.400	8.030	10.390	489
SBH0840/08	8.400	9.170	11.530	552
SBH0840/09	8.400	10.310	12.670	616
SBH0840/10	8.400	11.450	13.810	679
SBH0840/11	8.400	12.590	14.950	742
SBH0840/12	8.400	13.730	16.090	805
SBH0840/13	8.400	14.870	17.230	869
SBH0840/14	8.400	16.010	18.370	932
SBH0840/15	8.400	17.150	19.510	995
SBH0840/16	8.400	18.290	20.650	1058
SBH0840/17	8.400	19.430	21.790	1122
SBH0840/18	8.400	20.570	22.930	1185
SBH0840/19	8.400	21.710	24.070	1248
SBH0840/20	8.400	22.850	25.210	1311
SBH0840/21	8.400	23.990	26.350	1374
SBH0840/22	8.400	25.130	27.490	1438
SBH0840/23	8.400	26.270	28.630	1501
SBH0840/24	8.400	27.410	29.770	1564
SBH0840/25	8.400	28.550	30.910	1627
SBH0840/26	8.400	29.690	32.050	1691
SBH0840/27	8.400	30.830	33.190	1754
SBH0840/28	8.400	31.970	34.330	1817
SBH0840/29	8.400	33.110	35.470	1880
SBH0840/30	8.400	34.250	36.610	1944
SBH0920/04	9.180	4.610	7.195	361
SBH0920/05	9.180	5.750	8.335	437
SBH0920/06	9.180	6.890	9.475	512
SBH0920/07	9.180	8.030	10.615	587
SBH0920/08	9.180	9.170	11.755	662
SBH0920/09	9.180	10.310	12.895	738
SBH0920/10	9.180	11.450	14.035	813
SBH0920/11	9.180	12.590	15.175	888
SBH0920/12	9.180	13.730	16.315	963
SBH0920/13	9.180	14.870	17.455	1039
SBH0920/14	9.180	16.010	18.595	1114
SBH0920/15	9.180	17.150	19.735	1189
SBH0920/16	9.180	18.290	20.875	1264
SBH0920/17	9.180	19.430	22.015	1340
SBH0920/18	9.180	20.570	23.155	1415
SBH0920/19	9.180	21.710	24.295	1490
SBH0920/20	9.180	22.850	25.435	1565
SBH0920/21	9.180	23.990	26.575	1641
SBH0920/22	9.180	25.130	27.715	1716
SBH0920/23	9.180	26.270	28.855	1791
SBH0920/24	9.180	27.410	29.995	1866
SBH0920/25	9.180	28.550	31.135	1942
SBH0920/26	9.180	29.690	32.275	2017
SBH0920/27	9.180	30.830	33.415	2092
SBH0920/28	9.180	31.970	34.555	2167
SBH0920/29	9.180	33.110	35.695	2243
SBH0920/30	9.180	34.250	36.835	2318

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY(m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH0993/04	9.930	4.610	7.415	430
SBH0993/05	9.930	5.750	8.555	518
SBH0993/06	9.930	6.890	9.695	606
SBH0993/07	9.930	8.030	10.835	695
SBH0993/08	9.930	9.170	11.975	783
SBH0993/09	9.930	10.310	13.115	871
SBH0993/10	9.930	11.450	14.255	960
SBH0993/11	9.930	12.590	15.395	1048
SBH0993/12	9.930	13.730	16.535	1136
SBH0993/13	9.930	14.870	17.675	1225
SBH0993/14	9.930	16.010	18.815	1313
SBH0993/15	9.930	17.150	19.955	1401
SBH0993/16	9.930	18.290	21.095	1490
SBH0993/17	9.930	19.430	22.235	1578
SBH0993/18	9.930	20.570	23.375	1666
SBH0993/19	9.930	21.710	24.515	1755
SBH0993/20	9.930	22.850	25.655	1843
SBH0993/21	9.930	23.990	26.795	1931
SBH0993/22	9.930	25.130	27.935	2019
SBH0993/23	9.930	26.270	29.075	2108
SBH0993/24	9.930	27.410	30.215	2196
SBH0993/25	9.930	28.550	31.355	2284
SBH0993/26	9.930	29.690	32.495	2373
SBH0993/27	9.930	30.830	33.635	2461
SBH0993/28	9.930	31.970	34.775	2549
SBH0993/29	9.930	33.110	35.915	2638
SBH0993/30	9.930	34.250	37.055	2726
SBH1070/04	10.700	4.610	7.640	505
SBH1070/05	10.700	5.750	8.780	608
SBH1070/06	10.700	6.890	9.920	710
SBH1070/07	10.700	8.030	11.060	812
SBH1070/08	10.700	9.170	12.200	915
SBH1070/09	10.700	10.310	13.340	1017
SBH1070/10	10.700	11.450	14.480	1120
SBH1070/11	10.700	12.590	15.620	1222
SBH1070/12	10.700	13.730	16.760	1325
SBH1070/13	10.700	14.870	17.900	1427
SBH1070/14	10.700	16.010	19.040	1529
SBH1070/15	10.700	17.150	20.180	1632
SBH1070/16	10.700	18.290	21.320	1734
SBH1070/17	10.700	19.430	22.460	1837
SBH1070/18	10.700	20.570	23.600	1939
SBH1070/19	10.700	21.710	24.740	2042
SBH1070/20	10.700	22.850	25.880	2144
SBH1070/21	10.700	23.990	27.020	2246
SBH1070/22	10.700	25.130	28.160	2349
SBH1070/23	10.700	26.270	29.300	2451
SBH1070/24	10.700	27.410	30.440	2554
SBH1070/25	10.700	28.550	31.580	2656
SBH1070/26	10.700	29.690	32.720	2759
SBH1070/27	10.700	30.830	33.860	2861
SBH1070/28	10.700	31.970	35.000	2963
SBH1070/29	10.700	33.110	36.140	3066
SBH1070/30	10.700	34.250	37.280	3168

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY(m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH1145/04	11.460	4.610	7.860	587
SBH1145/05	11.460	5.750	9.000	705
SBH1145/06	11.460	6.890	10.140	823
SBH1145/07	11.460	8.030	11.280	940
SBH1145/08	11.460	9.170	12.420	1058
SBH1145/09	11.460	10.310	13.560	1175
SBH1145/10	11.460	11.450	14.700	1293
SBH1145/11	11.460	12.590	15.840	1410
SBH1145/12	11.460	13.730	16.980	1528
SBH1145/13	11.460	14.870	18.120	1646
SBH1145/14	11.460	16.010	19.260	1763
SBH1145/15	11.460	17.150	20.400	1881
SBH1145/16	11.460	18.290	21.540	1998
SBH1145/17	11.460	19.430	22.680	2116
SBH1145/18	11.460	20.570	23.820	2234
SBH1145/19	11.460	21.710	24.960	2351
SBH1145/20	11.460	22.850	26.100	2469
SBH1145/21	11.460	23.990	27.240	2586
SBH1145/22	11.460	25.130	28.380	2704
SBH1145/23	11.460	26.270	29.520	2822
SBH1145/24	11.460	27.410	30.660	2939
SBH1145/25	11.460	28.550	31.800	3057
SBH1145/26	11.460	29.690	32.940	3174
SBH1145/27	11.460	30.830	34.080	3292
SBH1145/28	11.460	31.970	35.220	3409
SBH1145/29	11.460	33.110	36.360	3527
SBH1145/30	11.460	34.250	37.500	3645
SBH1223/04	12.230	4.610	8.080	677
SBH1223/05	12.230	5.750	9.220	811
SBH1223/06	12.230	6.890	10.360	944
SBH1223/07	12.230	8.030	11.500	1078
SBH1223/08	12.230	9.170	12.640	1212
SBH1223/09	12.230	10.310	13.780	1346
SBH1223/10	12.230	11.450	14.920	1480
SBH1223/11	12.230	12.590	16.060	1613
SBH1223/12	12.230	13.730	17.200	1747
SBH1223/13	12.230	14.870	18.340	1881
SBH1223/14	12.230	16.010	19.480	2015
SBH1223/15	12.230	17.150	20.620	2149
SBH1223/16	12.230	18.290	21.760	2282
SBH1223/17	12.230	19.430	22.900	2416
SBH1223/18	12.230	20.570	24.040	2550
SBH1223/19	12.230	21.710	25.180	2684
SBH1223/20	12.230	22.850	26.320	2817
SBH1223/21	12.230	23.990	27.460	2951
SBH1223/22	12.230	25.130	28.600	3085
SBH1223/23	12.230	26.270	29.740	3219
SBH1223/24	12.230	27.410	30.880	3353
SBH1223/25	12.230	28.550	32.020	3486
SBH1223/26	12.230	29.690	33.160	3620
SBH1223/27	12.230	30.830	34.300	3754
SBH1223/28	12.230	31.970	35.440	3888
SBH1223/29	12.230	33.110	36.580	4022
SBH1223/30	12.230	34.250	37.720	4155