

1.2

FLAT BOTTOM SILOS WITH STRUCTURAL ROOF

CODE	DIAMETER A (mm)	CYLINDRICAL HEIGHT B (mm)	TOTAL HEIGHT C (mm)	CAPACITY (m ³)
				FLAT BOTTOM
1SBH1070/04TE	10.696	4.610	7.640	505
SBH1070/05TE	10.696	5.750	8.780	608
SBH1070/06TE	10.696	6.890	9.920	710
SBH1070/07TE	10.696	8.030	11.060	812
SBH1070/08TE	10.696	9.170	12.200	915
SBH1070/09TE	10.696	10.310	13.340	1.017
SBH1070/10TE	10.696	11.450	14.480	1.120
SBH1070/11TE	10.696	12.590	15.620	1.222
SBH1070/12TE	10.696	13.730	16.760	1.325
SBH1070/13TE	10.696	14.870	17.900	1.427
SBH1070/14TE	10.696	16.010	19.040	1.5297
SBH1070/15TE	10.696	17.150	20.180	1.632
SBH1070/16TE	10.696	18.290	21.320	1.734
SBH1070/17TE	10.696	19.430	22.460	1.837
SBH1070/18TE	10.696	20.570	23.600	1.940
SBH1070/19TE	10.696	21.710	24.740	2.042
SBH1070/20TE	10.696	22.850	25.880	2.144
SBH1070/21TE	10.696	23.990	27.020	2.246
SBH1070/22TE	10.696	25.130	28.160	2.349
SBH1070/23TE	10.696	26.270	29.300	2.451
SBH1070/24TE	10.696	27.410	30.440	2.554
SBH1070/25TE	10.696	28.550	31.580	2.656
SBH1070/26TE	10.696	29.690	32.720	2.759
SBH1070/27TE	10.696	30.830	33.860	2.861
SBH1070/28TE	10.696	31.970	35.000	2.963
SBH1070/29TE	10.696	33.110	36.140	3.066
SBH1070/30TE	10.696	34.250	37.280	3.168
SBH1145/04TE	11.460	4.610	7.860	587
SBH1145/05TE	11.460	5.750	9.000	705
SBH1145/06TE	11.460	6.890	10.140	823
SBH1145/07TE	11.460	8.030	11.280	940
SBH1145/08TE	11.460	9.170	12.420	1.058
SBH1145/09TE	11.460	10.310	13.560	1.175
SBH1145/10TE	11.460	11.450	14.700	1.293
SBH1145/11TE	11.460	12.590	15.840	1.410
SBH1145/12TE	11.460	13.730	16.980	1.528
SBH1145/13TE	11.460	14.870	18.120	1.646
SBH1145/14TE	11.460	16.010	19.260	1.763
SBH1145/15TE	11.460	17.150	20.400	1.881
SBH1145/16TE	11.460	18.290	21.540	1.998
SBH1145/17TE	11.460	19.430	22.680	2.116
SBH1145/18TE	11.460	20.570	23.820	2.234
SBH1145/19TE	11.460	21.710	24.960	2.351
SBH1145/20TE	11.460	22.850	26.100	2.469
SBH1145/21TE	11.460	23.990	27.240	2.586
SBH1145/22TE	11.460	25.130	28.380	2.704
SBH1145/23TE	11.460	26.270	29.520	2.822
SBH1145/24TE	11.460	27.410	30.660	2.939
SBH1145/25TE	11.460	28.550	31.800	3.057
SBH1145/26TE	11.460	29.690	32.940	3.174
SBH1145/27TE	11.460	30.830	34.080	3.292
SBH1145/28TE	11.460	31.970	35.220	3.409
SBH1145/29TE	11.460	33.110	36.360	3.527
SBH1145/30TE	11.460	34.250	37.500	3.645

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH1223/04TE	12.224	4.610	8.080	677
SBH1223/05TE	12.224	5.750	9.220	811
SBH1223/06TE	12.224	6.890	10.360	944
SBH1223/07TE	12.224	8.030	11.500	1.078
SBH1223/08TE	12.224	9.170	12.640	1.212
SBH1223/09TE	12.224	10.310	13.780	1.346
SBH1223/10TE	12.224	11.450	14.920	1.480
SBH1223/11TE	12.224	12.590	16.060	1.613
SBH1223/12TE	12.224	13.730	17.200	1.747
SBH1223/13TE	12.224	14.870	18.340	1.881
SBH1223/14TE	12.224	16.010	19.480	2.015
SBH1223/15TE	12.224	17.150	20.620	2.149
SBH1223/16TE	12.224	18.290	21.760	2.282
SBH1223/17TE	12.224	19.430	22.900	2.416
SBH1223/18TE	12.224	20.570	24.040	2.550
SBH1223/19TE	12.224	21.710	25.180	2.684
SBH1223/20TE	12.224	22.850	26.320	2.817
SBH1223/21TE	12.224	23.990	27.460	2.951
SBH1223/22TE	12.224	25.130	28.600	3.085
SBH1223/23TE	12.224	26.270	29.740	3.219
SBH1223/24TE	12.224	27.410	30.880	3.353
SBH1223/25TE	12.224	28.550	32.020	3.486
SBH1223/26TE	12.224	29.690	33.160	3.620
SBH1223/27TE	12.224	30.830	34.300	3.754
SBH1223/28TE	12.224	31.970	35.440	3.888
SBH1223/29TE	12.224	33.110	36.580	4.022
SBH1223/30TE	12.224	34.250	37.720	4.155
SBH1298/04	12.988	4.610	8.310	774
SBH1298/05	12.988	5.750	9.450	925
SBH1298/06	12.988	6.890	10.590	1.076
SBH1298/07	12.988	8.030	11.730	1.227
SBH1298/08	12.988	9.170	12.870	1.378
SBH1298/09	12.988	10.310	14.010	1.529
SBH1298/10	12.988	11.450	15.150	1.680
SBH1298/11	12.988	12.590	16.290	1.832
SBH1298/12	12.988	13.730	17.430	1.983
SBH1298/13	12.988	14.870	18.570	2.134
SBH1298/14	12.988	16.010	19.710	2.285
SBH1298/15	12.988	17.150	20.850	2.436
SBH1298/16	12.988	18.290	21.990	2.587
SBH1298/17	12.988	19.430	23.130	2.738
SBH1298/18	12.988	20.570	24.270	2.889
SBH1298/19	12.988	21.710	25.410	3.040
SBH1298/20	12.988	22.850	26.550	3.191
SBH1298/21	12.988	23.990	27.690	3.342
SBH1298/22	12.988	25.130	28.830	3.493
SBH1298/23	12.988	26.270	29.970	3.644
SBH1298/24	12.988	27.410	31.110	3.795
SBH1298/25	12.988	28.550	32.250	3.946
SBH1298/26	12.988	29.690	33.390	4.097
SBH1298/27	12.988	30.830	34.530	4.248
SBH1298/28	12.988	31.970	35.670	4.399
SBH1298/29	12.988	33.110	36.810	4.550
SBH1298/30	12.988	34.250	37.950	4.701

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH1375/04	13.751	4.610	8.510	878
SBH1375/05	13.751	5.750	9.650	1.047
SBH1375/06	13.751	6.890	10.790	1.216
SBH1375/07	13.751	8.030	11.930	1.386
SBH1375/08	13.751	9.170	13.070	1.555
SBH1375/09	13.751	10.310	14.210	1.724
SBH1375/10	13.751	11.450	15.350	1.894
SBH1375/11	13.751	12.590	16.490	2.063
SBH1375/12	13.751	13.730	17.630	2.232
SBH1375/13	13.751	14.870	18.770	2.402
SBH1375/14	13.751	16.010	19.910	2.571
SBH1375/15	13.751	17.150	21.050	2.740
SBH1375/16	13.751	18.290	22.190	2.909
SBH1375/17	13.751	19.430	23.330	3.079
SBH1375/18	13.751	20.570	24.470	3.248
SBH1375/19	13.751	21.710	25.610	3.417
SBH1375/20	13.751	22.850	26.750	3.587
SBH1375/21	13.751	23.990	27.890	3.756
SBH1375/22	13.751	25.130	29.030	3.925
SBH1375/23	13.751	26.270	30.170	4.095
SBH1375/24	13.751	27.410	31.310	4.264
SBH1375/25	13.751	28.550	32.450	4.433
SBH1375/26	13.751	29.690	33.590	4.602
SBH1375/27	13.751	30.830	34.730	4.772
SBH1375/28	13.751	31.970	35.870	4.941
SBH1375/29	13.751	33.110	37.010	5.110
SBH1375/30	13.751	34.250	38.150	5.280
SBH1451/04	14.515	4.610	8.740	991
SBH1451/05	14.515	5.750	9.880	1.179
SBH1451/06	14.515	6.890	11.020	1.368
SBH1451/07	14.515	8.030	12.160	1.557
SBH1451/08	14.515	9.170	13.300	1.745
SBH1451/09	14.515	10.310	14.440	1.934
SBH1451/10	14.515	11.450	15.580	2.123
SBH1451/11	14.515	12.590	16.720	2.311
SBH1451/12	14.515	13.730	17.860	2.500
SBH1451/13	14.515	14.870	19.000	2.688
SBH1451/14	14.515	16.010	20.140	2.877
SBH1451/15	14.515	17.150	21.280	3.066
SBH1451/16	14.515	18.290	22.420	3.254
SBH1451/17	14.515	19.430	23.560	3.443
SBH1451/18	14.515	20.570	24.700	3.632
SBH1451/19	14.515	21.710	25.840	3.820
SBH1451/20	14.515	22.850	26.980	4.009
SBH1451/21	14.515	23.990	28.120	4.198
SBH1451/22	14.515	25.130	29.260	4.386
SBH1451/23	14.515	26.270	30.400	4.575
SBH1451/24	14.515	27.410	31.540	4.763
SBH1451/25	14.515	28.550	32.680	4.952
SBH1451/26	14.515	29.690	33.820	5.141
SBH1451/27	14.515	30.830	34.960	5.329
SBH1451/28	14.515	31.970	36.100	5.518
SBH1451/29	14.515	33.110	37.240	5.707
SBH1451/30	14.515	34.250	38.380	5.895

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH1528/04	15.279	4.610	8.955	1.111
SBH1528/05	15.279	5.750	10.095	1.320
SBH1528/06	15.279	6.890	11.235	1.529
SBH1528/07	15.279	8.030	12.375	1.738
SBH1528/08	15.279	9.170	13.515	1.947
SBH1528/09	15.279	10.310	14.655	2.156
SBH1528/10	15.279	11.450	15.795	2.365
SBH1528/11	15.279	12.590	16.935	2.574
SBH1528/12	15.279	13.730	18.075	2.783
SBH1528/13	15.279	14.870	19.215	2.992
SBH1528/14	15.279	16.010	20.355	3.201
SBH1528/15	15.279	17.150	21.495	3.410
SBH1528/16	15.279	18.290	22.635	3.619
SBH1528/17	15.279	19.430	23.775	3.828
SBH1528/18	15.279	20.570	24.915	4.037
SBH1528/19	15.279	21.710	26.055	4.246
SBH1528/20	15.279	22.850	27.195	4.455
SBH1528/21	15.279	23.990	28.335	4.664
SBH1528/22	15.279	25.130	29.475	4.873
SBH1528/23	15.279	26.270	30.615	5.082
SBH1528/24	15.279	27.410	31.755	5.291
SBH1528/25	15.279	28.550	32.895	5.500
SBH1528/26	15.279	29.690	34.035	5.709
SBH1528/27	15.279	30.830	35.175	5.918
SBH1528/28	15.279	31.970	36.315	6.127
SBH1528/29	15.279	33.110	37.455	6.336
SBH1528/30	15.279	34.250	38.595	6.545
SBH1680/04	16.807	4.610	9.395	1.377
SBH1680/05	16.807	5.750	10.535	1.630
SBH1680/06	16.807	6.890	11.675	1.883
SBH1680/07	16.807	8.030	12.815	2.135
SBH1680/08	16.807	9.170	13.955	2.388
SBH1680/09	16.807	10.310	15.095	2.641
SBH1680/10	16.807	11.450	16.235	2.894
SBH1680/11	16.807	12.590	17.375	3.147
SBH1680/12	16.807	13.730	18.515	3.400
SBH1680/13	16.807	14.870	19.655	3.653
SBH1680/14	16.807	16.010	20.795	3.906
SBH1680/15	16.807	17.150	21.935	4.159
SBH1680/16	16.807	18.290	23.075	4.412
SBH1680/17	16.807	19.430	24.215	4.665
SBH1680/18	16.807	20.570	25.355	4.918
SBH1680/19	16.807	21.710	26.495	5.170
SBH1680/20	16.807	22.850	27.635	5.423
SBH1680/21	16.807	23.990	28.775	5.676
SBH1680/22	16.807	25.130	29.915	5.929
SBH1680/23	16.807	26.270	31.055	6.182
SBH1680/24	16.807	27.410	32.195	6.435
SBH1680/25	16.807	28.550	33.335	6.688
SBH1680/26	16.807	29.690	34.475	6.941
SBH1680/27	16.807	30.830	35.615	7.194
SBH1680/28	16.807	31.970	36.755	7.447
SBH1680/29	16.807	33.110	37.895	7.700
SBH1680/30	16.807	34.250	39.035	7.953

1.2

FLAT BOTTOM SILOS WITH STRUCTURAL ROOF

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH1757/04	17.571	4.610	9.710	1.530
SBH1757/05	17.571	5.750	10.850	1.807
SBH1757/06	17.571	6.890	11.990	2.083
SBH1757/07	17.571	8.030	13.130	2.359
SBH1757/08	17.571	9.170	14.270	2.636
SBH1757/09	17.571	10.310	15.410	2.912
SBH1757/10	17.571	11.450	16.550	3.189
SBH1757/11	17.571	12.590	17.690	3.465
SBH1757/12	17.571	13.730	18.830	3.742
SBH1757/13	17.571	14.870	19.970	4.018
SBH1757/14	17.571	16.010	21.110	4.294
SBH1757/15	17.571	17.150	22.250	4.571
SBH1757/16	17.571	18.290	23.390	4.847
SBH1757/17	17.571	19.430	24.530	5.124
SBH1757/18	17.571	20.570	25.670	5.400
SBH1757/19	17.571	21.710	26.810	5.677
SBH1757/20	17.571	22.850	27.950	5.953
SBH1757/21	17.571	23.990	29.090	6.230
SBH1757/22	17.571	25.130	30.230	6.506
SBH1757/23	17.571	26.270	31.370	6.782
SBH1757/24	17.571	27.410	32.510	7.059
SBH1757/25	17.571	28.550	33.650	7.335
SBH1757/26	17.571	29.690	34.790	7.612
SBH1757/27	17.571	30.830	35.930	7.888
SBH1757/28	17.571	31.970	37.070	8.165
SBH1757/29	17.571	33.110	38.210	8.441
SBH1757/30	17.571	34.250	39.350	8.717
SBH1834/04	18.335	4.610	9.910	1.684
SBH1834/05	18.335	5.750	11.050	1.985
SBH1834/06	18.335	6.890	12.190	2.286
SBH1834/07	18.335	8.030	13.330	2.587
SBH1834/08	18.335	9.170	14.470	2.888
SBH1834/09	18.335	10.310	15.610	3.189
SBH1834/10	18.335	11.450	16.750	3.490
SBH1834/11	18.335	12.590	17.890	3.791
SBH1834/12	18.335	13.730	19.030	4.092
SBH1834/13	18.335	14.870	20.170	4.393
SBH1834/14	18.335	16.010	21.310	4.694
SBH1834/15	18.335	17.150	22.450	4.995
SBH1834/16	18.335	18.290	23.590	5.296
SBH1834/17	18.335	19.430	24.730	5.597
SBH1834/18	18.335	20.570	25.870	5.898
SBH1834/19	18.335	21.710	27.010	6.199
SBH1834/20	18.335	22.850	28.150	6.500
SBH1834/21	18.335	23.990	29.290	6.801
SBH1834/22	18.335	25.130	30.430	7.102
SBH1834/23	18.335	26.270	31.570	7.403
SBH1834/24	18.335	27.410	32.710	7.704
SBH1834/25	18.335	28.550	33.850	8.005
SBH1834/26	18.335	29.690	34.990	8.306
SBH1834/27	18.335	30.830	36.130	8.607
SBH1834/28	18.335	31.970	37.270	8.908
SBH1834/29	18.335	33.110	38.410	9.209

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH1986/04	19.863	4.610	10.375	2.024
SBH1986/05	19.863	5.750	11.515	2.377
SBH1986/06	19.863	6.890	12.655	2.731
SBH1986/07	19.863	8.030	13.795	3.084
SBH1986/08	19.863	9.170	14.935	3.437
SBH1986/09	19.863	10.310	16.075	3.790
SBH1986/10	19.863	11.450	17.215	4.144
SBH1986/11	19.863	12.590	18.355	4.497
SBH1986/12	19.863	13.730	19.495	4.850
SBH1986/13	19.863	14.870	20.635	5.203
SBH1986/14	19.863	16.010	21.775	5.557
SBH1986/15	19.863	17.150	22.915	5.910
SBH1986/16	19.863	18.290	24.055	6.263
SBH1986/17	19.863	19.430	25.195	6.616
SBH1986/18	19.863	20.570	26.335	6.970
SBH1986/19	19.863	21.710	27.475	7.323
SBH1986/20	19.863	22.850	28.615	7.676
SBH1986/21	19.863	23.990	29.755	8.029
SBH1986/22	19.863	25.130	30.895	8.383
SBH1986/23	19.863	26.270	32.035	8.736
SBH1986/24	19.863	27.410	33.175	9.089
SBH1986/25	19.863	28.550	34.315	9.442
SBH1986/26	19.863	29.690	35.455	9.796
SBH1986/27	19.863	30.830	36.595	10.149
SBH1986/28	19.863	31.970	37.735	10.502
SBH1986/29	19.863	33.110	38.875	10.855
SBH2139/04	21.391	4.610	10.820	2.401
SBH2139/05	21.391	5.750	11.960	2.810
SBH2139/06	21.391	6.890	13.100	3.220
SBH2139/07	21.391	8.030	14.240	3.630
SBH2139/08	21.391	9.170	15.380	4.040
SBH2139/09	21.391	10.310	16.520	4.449
SBH2139/10	21.391	11.450	17.660	4.859
SBH2139/11	21.391	12.590	18.800	5.269
SBH2139/12	21.391	13.730	19.940	5.678
SBH2139/13	21.391	14.870	21.080	6.088
SBH2139/14	21.391	16.010	22.220	6.498
SBH2139/15	21.391	17.150	23.360	6.907
SBH2139/16	21.391	18.290	24.500	7.317
SBH2139/17	21.391	19.430	25.640	7.727
SBH2139/18	21.391	20.570	26.780	8.136
SBH2139/19	21.391	21.710	27.920	8.546
SBH2139/20	21.391	22.850	29.060	8.956
SBH2139/21	21.391	23.990	30.200	9.366
SBH2139/22	21.391	25.130	31.340	9.775
SBH2139/23	21.391	26.270	32.480	10.185
SBH2139/24	21.391	27.410	33.620	10.595
SBH2139/25	21.391	28.550	34.760	11.004
SBH2139/26	21.391	29.690	35.900	11.414
SBH2139/27	21.391	30.830	37.040	11.824
SBH2139/28	21.391	31.970	38.180	12.233

1.2

FLAT BOTTOM SILOS WITH STRUCTURAL ROOF

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH2215/04	22.155	4.610	11.020	2.601
SBH2215/05	22.155	5.750	12.160	3.040
SBH2215/06	22.155	6.890	13.300	3.480
SBH2215/07	22.155	8.030	14.440	3.919
SBH2215/08	22.155	9.170	15.580	4.359
SBH2215/09	22.155	10.310	16.720	4.798
SBH2215/10	22.155	11.450	17.860	5.238
SBH2215/11	22.155	12.590	19.000	5.677
SBH2215/12	22.155	13.730	20.140	6.117
SBH2215/13	22.155	14.870	21.280	6.556
SBH2215/14	22.155	16.010	22.420	6.996
SBH2215/15	22.155	17.150	23.560	7.435
SBH2215/16	22.155	18.290	24.700	7.875
SBH2215/17	22.155	19.430	25.840	8.314
SBH2215/18	22.155	20.570	26.980	8.754
SBH2215/19	22.155	21.710	28.120	9.193
SBH2215/20	22.155	22.850	29.260	9.633
SBH2215/21	22.155	23.990	30.400	10.072
SBH2215/22	22.155	25.130	31.540	10.512
SBH2215/23	22.155	26.270	32.680	10.951
SBH2215/24	22.155	27.410	33.820	11.391
SBH2215/25	22.155	28.550	34.960	11.830
SBH2215/26	22.155	29.690	36.100	12.270
SBH2215/27	22.155	30.830	37.240	12.709
SBH2215/28	22.155	31.970	38.380	13.148
SBH2292/04	22.919	4.610	11.260	2.816
SBH2292/05	22.919	5.750	12.400	3.287
SBH2292/06	22.919	6.890	13.540	3.757
SBH2292/07	22.919	8.030	14.680	4.227
SBH2292/08	22.919	9.170	15.820	4.698
SBH2292/09	22.919	10.310	16.960	5.168
SBH2292/10	22.919	11.450	18.100	5.638
SBH2292/11	22.919	12.590	19.240	6.109
SBH2292/12	22.919	13.730	20.380	6.579
SBH2292/13	22.919	14.870	21.520	7.049
SBH2292/14	22.919	16.010	22.660	7.520
SBH2292/15	22.919	17.150	23.800	7.990
SBH2292/16	22.919	18.290	24.940	8.460
SBH2292/17	22.919	19.430	26.080	8.931
SBH2292/18	22.919	20.570	27.220	9.401
SBH2292/19	22.919	21.710	28.360	9.871
SBH2292/20	22.919	22.850	29.500	10.341
SBH2292/21	22.919	23.990	30.640	10.812
SBH2292/22	22.919	25.130	31.780	11.282
SBH2292/23	22.919	26.270	32.920	11.752
SBH2292/24	22.919	27.410	34.060	12.223
SBH2292/25	22.919	28.550	35.200	12.693
SBH2292/26	22.919	29.690	36.340	13.163
SBH2292/27	22.919	30.830	37.480	13.634
SBH2292/28	22.919	31.970	38.620	14.104

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH2368/04	23.683	4.610	11.483	3.040
SBH2368/05	23.683	5.750	12.623	3.542
SBH2368/06	23.683	6.890	13.763	4.044
SBH2368/07	23.683	8.030	14.903	4.547
SBH2368/08	23.683	9.170	16.043	5.049
SBH2368/09	23.683	10.310	17.183	5.551
SBH2368/10	23.683	11.450	18.323	6.053
SBH2368/11	23.683	12.590	19.463	6.555
SBH2368/12	23.683	13.730	20.603	7.058
SBH2368/13	23.683	14.870	21.743	7.560
SBH2368/14	23.683	16.010	22.883	8.062
SBH2368/15	23.683	17.150	24.023	8.564
SBH2368/16	23.683	18.290	25.163	9.066
SBH2368/17	23.683	19.430	26.303	9.569
SBH2368/18	23.683	20.570	27.443	10.071
SBH2368/19	23.683	21.710	28.583	10.573
SBH2368/20	23.683	22.850	29.723	11.075
SBH2368/21	23.683	23.990	30.863	11.577
SBH2368/22	23.683	25.130	32.003	12.080
SBH2368/23	23.683	26.270	33.143	12.582
SBH2368/24	23.683	27.410	34.283	13.084
SBH2368/25	23.683	28.550	35.423	13.586
SBH2368/26	23.683	29.690	36.563	14.088
SBH2368/27	23.683	30.830	37.703	14.590
SBH2368/28	23.683	31.970	38.843	15.093
SBH2444/04	24.447	4.610	11.695	3.273
SBH2444/05	24.447	5.750	12.835	3.808
SBH2444/06	24.447	6.890	13.975	4.343
SBH2444/07	24.447	8.030	15.115	4.878
SBH2444/08	24.447	9.170	16.255	5.413
SBH2444/09	24.447	10.310	17.395	5.948
SBH2444/10	24.447	11.450	18.535	6.483
SBH2444/11	24.447	12.590	19.675	7.018
SBH2444/12	24.447	13.730	20.815	7.553
SBH2444/13	24.447	14.870	21.955	8.089
SBH2444/14	24.447	16.010	23.095	8.624
SBH2444/15	24.447	17.150	24.235	9.159
SBH2444/16	24.447	18.290	25.375	9.694
SBH2444/17	24.447	19.430	26.515	10.229
SBH2444/18	24.447	20.570	27.655	10.764
SBH2444/19	24.447	21.710	28.795	11.299
SBH2444/20	24.447	22.850	29.935	11.834
SBH2444/21	24.447	23.990	31.075	12.370
SBH2444/22	24.447	25.130	32.215	12.905
SBH2444/23	24.447	26.270	33.355	13.440
SBH2444/24	24.447	27.410	34.495	13.975
SBH2444/25	24.447	28.550	35.635	14.510
SBH2444/26	24.447	29.690	36.775	15.045
SBH2444/27	24.447	30.830	37.915	15.580

1.2

FLAT BOTTOM SILOS WITH STRUCTURAL ROOF

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH2598/04	25.975	4.610	12.140	3.773
SBH2598/05	25.975	5.750	13.280	4.377
SBH2598/06	25.975	6.890	14.420	4.981
SBH2598/07	25.975	8.030	15.560	5.585
SBH2598/08	25.975	9.170	16.700	6.189
SBH2598/09	25.975	10.310	17.840	6.794
SBH2598/10	25.975	11.450	18.980	7.398
SBH2598/11	25.975	12.590	20.120	8.002
SBH2598/12	25.975	13.730	21.260	8.606
SBH2598/13	25.975	14.870	22.400	9.210
SBH2598/14	25.975	16.010	23.540	9.814
SBH2598/15	25.975	17.150	24.680	10.418
SBH2598/16	25.975	18.290	25.820	11.022
SBH2598/17	25.975	19.430	26.960	11.626
SBH2598/18	25.975	20.570	28.100	12.230
SBH2598/19	25.975	21.710	29.240	12.834
SBH2598/20	25.975	22.850	30.380	13.439
SBH2598/21	25.975	23.990	31.520	14.043
SBH2598/22	25.975	25.130	32.660	14.647
SBH2598/23	25.975	26.270	33.800	15.251
SBH2598/24	25.975	27.410	34.940	15.855
SBH2598/25	25.975	28.550	36.080	16.459
SBH2598/26	25.975	29.690	37.220	17.063
SBH2598/27	25.975	30.830	38.360	17.667
SBH2750/04	27.502	4.610	12.255	4.252
SBH2750/05	27.502	5.750	13.395	4.930
SBH2750/06	27.502	6.890	14.535	5.607
SBH2750/07	27.502	8.030	15.675	6.284
SBH2750/08	27.502	9.170	16.815	6.961
SBH2750/09	27.502	10.310	17.955	7.639
SBH2750/10	27.502	11.450	19.095	8.316
SBH2750/11	27.502	12.590	20.235	8.993
SBH2750/12	27.502	13.730	21.375	9.670
SBH2750/13	27.502	14.870	22.515	10.347
SBH2750/14	27.502	16.010	23.655	11.025
SBH2750/15	27.502	17.150	24.795	11.702
SBH2750/16	27.502	18.290	25.935	12.379
SBH2750/17	27.502	19.430	27.075	13.056
SBH2750/18	27.502	20.570	28.215	13.733
SBH2750/19	27.502	21.710	29.355	14.411
SBH2750/20	27.502	22.850	30.495	15.088
SBH2750/21	27.502	23.990	31.635	15.765
SBH2750/22	27.502	25.130	32.775	16.442
SBH2750/23	27.502	26.270	33.915	17.119
SBH2750/24	27.502	27.410	35.055	17.797
SBH2750/25	27.502	28.550	36.195	18.474
SBH2750/26	27.502	29.690	37.335	19.151
SBH2750/27	27.502	30.830	38.475	19.828

CODE	DIAMETER	CYLINDRICAL HEIGHT	TOTAL HEIGHT	CAPACITY (m ³)
	A (mm)	B (mm)	C (mm)	FLAT BOTTOM
SBH3208/04	32.086	4.610	13.570	6.143
SBH3208/05	32.086	5.750	14.710	7.064
SBH3208/06	32.086	6.890	15.850	7.986
SBH3208/07	32.086	8.030	16.990	8.908
SBH3208/08	32.086	9.170	18.130	9.830
SBH3208/09	32.086	10.310	19.270	10.751
SBH3208/10	32.086	11.450	20.410	11.673
SBH3208/11	32.086	12.590	21.550	12.595
SBH3208/12	32.086	13.730	22.690	13.517
SBH3208/13	32.086	14.870	23.830	14.439
SBH3208/14	32.086	16.010	24.970	15.360
SBH3208/15	32.086	17.150	26.110	16.282
SBH3208/16	32.086	18.290	27.250	17.204
SBH3208/17	32.086	19.430	28.390	18.126
SBH3208/18	32.086	20.570	29.530	19.047
SBH3208/19	32.086	21.710	30.670	19.969
SBH3208/20	32.086	22.850	31.810	20.891
SBH3208/21	32.086	23.990	32.950	21.813
SBH3208/22	32.086	25.130	34.090	22.735
SBH3208/23	32.086	26.270	35.230	23.656
SBH3208/24	32.086	27.410	36.370	24.578
SBH3208/25	32.086	28.550	37.510	25.500

